


# EventDeck

## Stadium Flooring Systems





## THE EXPERTS IN STADIUM FLOORING SYSTEMS

Event Flooring is an innovative, dynamic company with offices across South Africa and partners across Africa offering sales and rental options. Event Flooring is your single source supplier offering turnkey solutions for all types of temporary flooring systems; from turf protection to marquee flooring to dance floors and exhibition flooring. With Event Flooring you can now take your event anywhere.

We understand both natural and synthetic turf and their unique characteristics and requirements. Our experienced team has been involved in hundreds of stadium and arena projects in an array of climates and unique conditions.

We understand both small and large on-field events and have worked on projects ranging from graduations at your local high school field to the Olympics, Asia Games, and concerts at professional stadiums. From sideline covers to entire field covers, our team understands what is required to get the job done.

Whatever your portable flooring and ground protection needs, Event Flooring has a product to meet your application. We encourage you to contact our sales team with any questions about our products or services.

### WHAT'S INSIDE

- P 4 - **EventDeck**  
General purpose stadium flooring
- P 6 - **UltraDeck**  
Medium-weight stadium flooring
- P 8 - **ArmorDeck**  
Heavy-duty flooring & roadways
- P 10 - **DuraDeck**  
Extra heavy-duty access mats
- P 12 - **HexaDeck**  
Hexagonal flooring solution
- P 13 - **SuperCover**  
Lightweight tarps & sideline covers
- P 14 - **Rentals**
- P 15 - **Product Guide**

# Trust Your Field To Of Natural

- Our stadium flooring systems are in use worldwide at prestigious arenas and stadiums and have proven themselves through extensive use.
- Whether you are having a large concert or a small on-field gathering, Event Flooring's stadium flooring will protect expensive turf against damage and keep your visitors safe and comfortable.
- Increase revenue and flexibility and open your building to trade shows, concerts, corporate events, graduations, and anything else you can conceive of.
- At Event Flooring, we have the experience and the range of products to satisfy nearly any unique flooring requirement.





# The World's Largest Manufacturer And Renter And Synthetic Turf Protection Systems



## PROTECT YOUR ATHLETIC FIELD AGAINST DAMAGE FROM CONCERTS, GRADUATIONS & OTHER EVENTS

With Event Flooring's stadium flooring products you can install chairs, staging, and other equipment without damage. Drive forklifts, move carts, and place equipment easily on natural and artificial turf, running tracks, and other sensitive surfaces.


Event Flooring offers a complete range of turf protection options. From lightweight flexible tarps to rigid plastic stadium flooring and from sideline covers to portable roadways, Event Flooring has the right systems to meet all of your ground protection needs.

All of our systems are interlocking, modular, expandable, and allow for unique configurations and customized layouts. Unlike other options, Event Flooring's flooring is easy to install, dismantle and store. Sections can be installed quickly and are designed for regular and repeated use.

# EventDeck

## GENERAL PURPOSE PROTECTION FOR NATURAL & SYNTHETIC TURF

EventDeck® is our most popular stadium flooring system, ideally suited for natural turf pedestrian areas and where lightweight static equipment will be used. EventDeck is Event Flooring's most economical rigid flooring option.



### EventDeck 1 AERATION HOLES PROTECT & NURTURE NATURAL TURF

EventDeck 1 (ED1) may be used to protect Bluegrass, Rye, Bermuda Grass, most warm and cold weather grass varieties, and has been used extensively in all climate conditions. ED1 may also be used to protect both mono and duo-filament synthetic turf and both sand and in-fill fields, though you may wish to consider our ED2 for synthetic turf applications.

Each ED1 module incorporates drainage, air ventilation, a moisture canopy, and bi-lateral cross ribbing for effective weight distribution. When you rent or purchase an EventDeck system, you can be confident that you are choosing a proven natural and synthetic turf protection system that has been deployed in some of the world's most prestigious facilities. From high schools to colleges and from professional stadiums to professional rugby and soccer stadiums, EventDeck has been the choice of professional field managers worldwide.




### EventDeck 2 SMOOTH TOP IS IDEAL FOR SYNTHETIC TURF

EventDeck 2 (ED2) was designed specifically for both mono and duo-filament synthetic turf and offers a greater level of protection against debris, liquids and dirt. ED2 may also be used to protect sand and rubber in-fill fields. Our systems have been used on all types of synthetic turf from multiple manufacturers including FieldTurf, Sportex, AstroTurf, and others.

We understand how synthetic turf is manufactured and have designed ED2 to minimize wear, surface abrasion, surface and base compaction, and contamination of the turf and the infill as a result of attendee traffic and damage to the turf. Underside channels are contoured to eliminate sharp edges. ED2 is designed to prevent shifting of infill and of the flooring.

After your event is over, simply brush your synthetic grass back into shape. Unlike older systems, it will be nearly impossible to see any distinguishable pattern in the turf.



#### Specifications:

- Module Size:  
30,45 cm x 10,16 cm x 1,91 cm
- Module Weight: 0,12 kg
- Weight Loading: 39,000 kg/m<sup>2</sup>





### *EventDeck® rapidly deploys in any stadium*

- Designed to be easily deployed without tools
- Completely expandable and configurable as required on-site
- Pre-assembled sections pack compactly and efficiently for easy transport and storage
- Unique inter-module connection system enables tiles to snap into place in both directions
- System contours to the field as needed to accommodate surface imperfections
- A 7,500 m<sup>2</sup> stadium can be deployed in 5-6 hours with about 20 people
- Expansion Joint (ED-XJ) makes installation even easier

### *EventDeck® is made using the highest quality materials*

- High quality co-polymer plastic has izod impact value
- Specific no-break characteristics
- 5-year UV package prevents brittleness
- High ethylene content provides flexure and prevents cracking
- Connector tabs are designed with flexure to prevent breakage

As a result of Event Flooring's quality material formulation each EventDeck floor is able to resist the rigors of regular use and will not break, crack, fade or become brittle. It has proven itself worldwide in all climates and conditions.





## THE EVENTDECK EXPANSION MODULE

The EventDeck Expansion Joint (ED-XJ) was specially engineered to accommodate thermal expansion in our EventDeck temporary floor and to prevent buckling or deformation. No other system has such a patent-pending feature.

ED-XJ is particularly useful in outdoor stadium environments where large areas of flooring are installed and where there might be great fluctuations in temperature and humidity. All plastic expands and contracts and only Event Flooring has an engineered solution.

Each ED-XJ module consists of two distinct pieces that nest into each other to create an expandable module. These pieces slide together and apart like an accordion. Each 30 cm-wide ED-XJ module can accept up to 2,54cm of expansion and it is recommended that a strip of modules be placed every 6 meters, depending on the temperature range expected during the event, aisle positioning, and other factors.



*EventDeck is the lowest maintenance general purpose system available!*

- Attractive anti-slip sandblast finish is easy to clean
- No unsightly patterns to catch dirt
- No submerged channels to trap food or debris

## ULTRAdeck

### MEDIUM-DUTY NATURAL & SYNTHETIC TURF PROTECTION

UltraDeck™ is Event Flooring's medium-duty turf protection system. It is designed to offer a greater level of protection, rigidity, and weight-loading capability than Event Flooring's EventDeck system. UltraDeck comes in both natural and synthetic turf versions and is perfect for large areas that require additional support for vehicles, staging and equipment.



#### UltraDeck 1 DESIGNED TO PROTECT NATURAL TURF

UltraDeck 1 (EDU1) portable flooring is ideal for use over all types of natural turf, including cold weather grasses such as Kentucky Blue Grass and warmer weather varieties such as Bermuda Grass. Whether your facility over-seeds warmer weather grasses with Rye grass or uses a mixture of grasses to achieve top performance, the EDU1 system is perfect for nearly every natural turf protection need. Top ventilation holes allow air and moisture to protect turf.


We understand all types of natural turf "systems" and have designed our systems to minimize wear, surface abrasion, base compaction, and contamination of the turf as a result of attendee traffic. EDU's underside channels are contoured to eliminate sharp edges and to prevent possible damage or cutting of sensitive grass. Most importantly, our systems prevent "cookie cutting" and focused point loading damage by distributing weight more effectively than other systems. There are no round pressure pads or other concentrated surfaces that can cause grass compaction, turf burn, and other damage from light vehicles and pneumatic tire forklifts.



#### UltraDeck 2 DESIGNED TO PROTECT SYNTHETIC TURF

UltraDeck 2 (EDU2) was designed specifically for both mono and duo-filament synthetic turf and offers a greater level of protection against debris, liquids and dirt. EDU2 may also be used to protect sand and rubber in-fill fields. Our systems have been used on all types of synthetic turf from multiple manufacturers including FieldTurf, Sportexe, AstroTurf, and others. We understand how synthetic turf is manufactured and have designed EDU2 to minimize wear, surface abrasion, surface and base compaction, and contamination of the turf and the infill as a result of attendee traffic. Underside channels are contoured to eliminate sharp edges.

After your event is over, simply brush your synthetic grass back into shape. Unlike older systems, it will be nearly impossible to see any distinguishable pattern in the turf. EDU2 is designed to prevent shifting of infill and of the flooring.



#### *UltraDeck is proven at facilities worldwide*

The UltraDeck system has been used worldwide at all types of venues, including large soccer and football stadiums. This product has proven itself through repeated use for every kind of event. When Disney needed a robust floor to be installed on athletic fields nationwide for a traveling event tour, they turned to us and UltraDeck for peace of mind and a product that met all its rigorous turf protection and event requirements.

#### Specifications:

- Module Size: 60,96 cm x 30,48 cm x 2,858 cm
- Module Weight: 1,306 kg
- Weight Loading: 97,648 kg/m<sup>2</sup>

### *UltraDeck™ rapidly deploys in any stadium*

- A 7,500 sqm stadium field surface can be deployed in 6 hours with about 15 people
- Quick turnarounds minimize the impact to the grass surface
- Pre-assembled .90m x 1.20m panels make storage and installation efficient
- Designed to be easily installed without the use of tools
- Self-aligning sections snap together easily in both directions
- Completely expandable and may be configured as required on-site
- Transported and stored on standard shipping pallets for efficiency
- Robust connection system enables tiles to snap together in both directions
- System contours to the field as needed to accommodate "crowned" fields and other surface imperfections
- Robust enough to handle heavy weights, equipment, and traffic
- Flexible joints prevent breakage
- Integrated bi-directional cable channel accommodates wires and power
- Warranted against damage

### *UltraDeck™ is made using the highest quality materials*

- High quality co-polymer plastic has high izod impact value
- Specific no-break characteristics
- Built-in 5-year UV package prevents brittleness
- High ethylene content provides flexure and prevents cracking
- Connector tabs are specially designed with flexure to prevent breakage

As a result of Event Flooring's quality material formulation, each UltraDeck floor is able to resist the rigors of regular use and will not break, crack, fade or become brittle. It has proven itself worldwide in all climates and conditions.

With UltraDeck there is no worry of broken plastic parts on your field or loose clips, plastic cams, or other pieces that could pose safety hazards to players or visitors.



## THE ULTRADECK EXPANSION MODULE

The UltraDeck Expansion Joint (EDU-XJ) was specially engineered to accommodate thermal expansion in our UltraDeck temporary floor and to prevent buckling or deformation. No other system has such a patent-pending feature.

EDU-XJ is particularly useful in outdoor stadium environments where large areas of flooring are installed and where there might be great fluctuations in temperature and humidity. All plastic expands and contracts and only Event Flooring has an engineered solution.

Each EDU-XJ module consists of two distinct pieces that nest into each other to create an expanded module. These pieces slide together and apart like an accordion. Each 30cm-wide EDU-XJ module can accept up to 2.5cm of expansion and it is recommended that a strip of modules be placed every 6 meters, depending on the temperature range expected during the event, aisle positioning, and other factors.



*UltraDeck is the lowest maintenance general purpose system available!*

- Attractive anti-slip sandblast finish is easy to clean
- No unsightly patterns to catch dirt
- No submerged channels to trap food or debris





## HEAVY-DUTY NATURAL & SYNTHETIC TURF PROTECTION

ArmorDeck™ (AD) is Event Flooring's premium natural and synthetic stadium floor covering system. It is designed to handle heavy loads and to provide the ultimate in stability and ground protection. It is the most advanced engineered stadium flooring system on the market today and offers superior natural and synthetic grass protection for all types of grass surfaces and infill.

ArmorDeck is a large panel system, that features an integrated connection system, an optional turf pad system, a durable aluminum cam lock system, and unsurpassed liquid spill protection. Each section has a useable surface area of 1,068m x 1,068m and is 5,08cm thick, thus providing maximum rigidity and surface protection. Traverse forklifts, lulls, trucks and other equipment on ArmorDeck and connect versions to each other for a seamless floor. Sections connect more quickly than other stadium flooring systems - thus minimizing labor and installation time.



### ArmorDeck 1 PREMIUM NATURAL TURF PROTECTION

ArmorDeck 1 (AD1) features an expansive moisture canopy and bi-directional ribbing system, which distributes weight effectively and allows grass to grow and flourish even during installation. Drainage and aeration holes provide circulation and help keep your natural turf healthy and safe, while small rims surrounding each drainage hole prevent unwanted liquids from penetrating the surface and reaching the ground. ArmorDeck tiles overlap, incorporating a liquid capture channel which prevents unwanted liquids from flowing through the seam to the protected surface.

### ArmorDeck 2 PREMIUM SYNTHETIC TURF PROTECTION


ArmorDeck 2 (AD2) was designed specifically to protect synthetic turf. Just like AD1 but without aeration holes, AD2 offers greater protection against moisture and debris. All underside ribbing features a radius edge that eliminates any sharp edges and provides additional peace of mind when traversing heavier payloads over the floor. For users accustomed to systems with circular support pads, ArmorDeck may be retrofitted with them providing additional height and clearance (though our research has indicated that such pads do not provide additional grass protection benefits).

### ArmorDeck 3 EXTRA HEAVY-DUTY TURF PROTECTION

ArmorDeck 3 (AD3) incorporates a bottom panel that adds strength and stability, nearly doubling the heavy-duty weight loading capabilities of AD1 and AD2. Staging, speaker towers, and lighting trusses and ballast may be placed on ArmorDeck and the system will provide heavy duty protection. When you remove your ArmorDeck floor, your grass may actually look better than it did before you installed the flooring. Simply brush your grass after floor removal and unlike other floors, it will be nearly impossible to see any distinguishable pattern resulting from the floor installation.



ArmorDeck 1 Front



ArmorDeck Underside



ArmorDeck 3 with Bottom Panel

#### Specifications:

- Module Size:  
1,067 m x 1,067 m x 5,08 cm
- Module Weight: 14,1 kg / 18,6 kg (AD3)
- Weight Loading: 122,000 kgs/m<sup>2</sup>  
219,600 kgs/m<sup>2</sup> (AD3)



Tiles overlap for greater protection





### *ArmorDeck™ is designed to handle heavy weights*

The ArmorDeck stadium flooring cover is designed to handle heavy weights from vehicles, forklifts, and other moving loads and is the ideal choice for both front of house and back stage areas. Combine ArmorDeck versions for the ultimate integrated stadium flooring system. For example, it is possible to combine ArmorDeck 3 (with bottom protection layer) with ArmorDeck 1 - the standard aeration version - to create a uniform, fully connected floor for all stadium areas.

ArmorDeck's aluminum cam lock system is stronger than any other cam lock systems and provides superior life span and long term durability. ArmorDeck's integrated hook and loop system provides additional torsional stability and strength and enables ArmorDeck to handle the heaviest of loads.

### *ArmorDeck™ is manufactured using the highest quality materials*

- Made from the finest High Density Plastic (HDPE)
- Reinforced with additives for added strength, flex modulus, and izod impact value.
- Built in 5-year UV package prevents degradation and brittleness
- Our cam locks are manufactured in aluminum (others are made of plastic), providing considerable increased strength.



ArmorDeck™ is the most comprehensively engineered system, designed to handle the rigors of concert and stadium use.



Aluminum Cam Lock



*ArmorDeck is the lowest maintenance heavy duty system available!*

- Attractive anti-slip sandblast finish is easy to clean
- No unsightly patterns to catch dirt
- No submerged channels to trap food or debris



## SUPER HEAVY-DUTY NATURAL & SYNTHETIC TURF PROTECTION

DuraDeck® is ideal for heavier duty applications than Event Flooring's EventDeck, UltraDeck or HexaDeck turf protection systems and is designed to take grass protection to the next level. Use DuraDeck for concert load ins, back stage areas, stadium construction projects, and to protect end zones, tracks, baseball diamonds and other sensitive natural and synthetic surfaces.

The secret behind DuraDeck is its ability to efficiently distribute weight, thus preventing soil compaction and root zone compression. Each panel is solid, preventing "cross cutting," infill dispersion, and other turf damage.



### DuraDeck 1 HEAVY-DUTY RUGGED GROUND PROTECTION

DuraDeck 1 (DD1) panels feature a molded rugged traction pattern on both sides, ideal for concert load-in areas and stadium landscaping and construction projects. DuraDeck mats are designed to support up to 72,5 tonne vehicle weights and will both stay rigid enough for ground protection and flexible enough to prevent breakage or brittleness. From large forklifts and generators to heavy staging and 18 wheel trucks, DuraDeck is designed to handle the heavy weights associated with concerts and large scale event productions.



### DuraDeck 2 RUGGED / PEDESTRIAN GROUND PROTECTION

DuraDeck 2 (DD2) panels for front-of-house concert applications feature a pedestrian friendly traction surface on one side and a molded rugged traction pattern on the other. Panels may be flipped and used on either side, depending on the specific application. Standard panel size is 2,44m x 1,22m and but are available in a range of sizes. DuraDeck is an easy to deploy 2,44m x 1,22m panel (more sizes available) manufactured from solid high density polyethylene. It has an integrated connection system that connects in all directions and can handle the tremendous torque of turning equipment.



#### Specifications:

- |   |                |
|---|----------------|
| • Module Size:                              | Module Weight: |
| 2.44m x 1.22m                               | 39.01kg        |
| 2.44m x 0.91m                               | 29.26kg        |
| 1.83m x 0.91m                               | 21.96kg        |
| 2.44m x 0.609m                              | 19.5 kg        |
| • Weight Loading: up to 72,5 tonnes / panel |                |





### *DuraDeck® installs quickly and stores compactly*

DuraDeck is designed to install quickly and to store compactly. In this regard, each DuraDeck panel weighs 39 kgs and can be transported easily by two persons. Of course, sections can be transported using a forklift and then simply positioned by personnel directly from pallets.

### *DuraDeck® is made using the highest quality materials*

- Specially formulated high density polyethylene (HDPE) is extraordinarily strong, yet flexible enough to prevent breakage
- New materials are blended with carefully screened recycled materials
- Contains UV protection package to prevent fading and degradation
- Each panel is molded as a single solid sheet - no weak points

Each quality DuraDeck panel is manufactured to the highest exacting standards and is subjected to our rigorous quality control methodology. This means that when you get a DuraDeck panel, you can feel confident that it will handle your heavy loads and provide the support you require.

### *Available in white for greater turf protection*

DuraDeck panels are available in both black and white, depending on the specific needs of each customer. We recommend white DuraDeck panels for events on hot or sunny days to help prevent the effects of "brown out" as darker panels can absorb heat and transfer it to the grass beneath.

### *DuraDeck® has proven itself at facilities worldwide*


DuraDeck has provided access and ground protection at facilities worldwide including: The National Mall, New York's Central Park, US Open Golf, US Open Tennis, and many more.



## THE DURADECK CONNECTION SYSTEM

Each DuraDeck panel has pre-drilled connection holes that allow panels to be connected in both directions and even in a brickwork pattern (for greater support and strength). Users can choose between rigid metal links, for very heavy weight applications, and lighter weight plastic connectors for general use.

Each panel contains 8 connection holes, one in each corner of the mat and 4 in the center of the mat. These connector holes can accommodate Event Flooring's standard DuraLink and PlastiLink connectors or may be used with stakes, ropes, or other connection options.



### DuraDeck is superior to plywood!

- Designed for repeated heavy use for 7+ years
- Does not warp, rot or absorb water
- Does not splinter or crack under heavy weights



## HEAVY-DUTY NATURAL & SYNTHETIC TURF PROTECTION

HexaDeck® is Event Flooring's heavier duty natural and synthetic turf protection system. It is ideal for unique applications where durable access and ground protection is required, along with modularity, lightweight design, rapid installation, and seamless connections.

Unlike other systems, HexaDeck doesn't utilize clips, connectors, cams, or locks to connect but rather incorporates a unique industry leading connection methodology.



### HexaDeck

## HEAVY-DUTY TURF PROTECTION & PORTABLE ROADWAYS

Like Event Flooring's other turf protection systems, HexaDeck is designed to distribute weight, contour to the crown of your field, and allow for aeration. It incorporates a sizeable moisture canopy, which allows grass to grow and thrive. Each super-durable tile is self-contained and ready for installation and removal by unskilled labor. HexaDeck is completely modular, interchangeable and expandable.

Each tile is durable, easy to clean, slip resistant, and contains UV additives for longer outdoor life.

### *Unique hexagonal design & connection system*

Each HexaDeck tile is manufactured in a hexagonal shape that naturally provides tremendous strength and versatility, without the necessity of adding significant amounts of material or weight. Unlike square modules, HexaDeck's hexagonal design avoids the structural weakness associated with a 4-way joining point. Once connected, the unique overlay/underlay system provides strength as adjacent tiles support each other on six sides. Tiles simply snap together without the use of tools, cam locks, or additional pieces.

### *Proven at prestigious facilities & events worldwide*

HexaDeck is used worldwide at facilities ranging from local athletic fields to construction sites to concert festivals and stadiums. HexaDeck is so strong, it is even used by the US and other militaries for disaster relief and tactical shelters.

When the Asia Games in Qatar needed a floor for their opening and closing ceremonies, they turned to HexaDeck to meet their demanding needs. Equipment, horses, displays, and thousands of people performed on the floor. When the Del Mar Fairground needed a heavy duty flooring system for concerts over an ultra sensitive (and ultra expensive) synthetic track, they called in HexaDeck.

Worldwide, unique applications and heavy-duty requirements turn to HexaDeck, Event Flooring's heavy duty modular flooring system.



HexaDeck Front



HexaDeck Back

### Specifications:

- Module Size:  
0,91 m hexagon x 4.826 cm
- Module Weight: 2,72 kg
- Weight Loading: 146,472 kgs/m<sup>2</sup>





### **HexaDeck® is easy to install and remove without tools**

Unlike other systems, HexaDeck requires no tools for assembly or disassembly. There is no need to worry about detaching tools, cam lock tools, or other difficult and time consuming carts or mechanisms. Simplicity and elegance of design are HexaDeck's hallmarks, which translates into the most efficient heavy duty system on the market.

When not in use HexaDeck roadways store compactly on pallets for easy transport and redeployment. Sections may be stored on standard pallets or our specialized HexaDeck transport pallets. Move HexaDeck as required between locations or into place using forklifts. You can even drive on the floor itself to help speed installation without worrying whether or not it is connected because it self-connects.



### **Heavy-duty weight loading capabilities**

HexaDeck flooring is designed to support heavy weight and moving loads. It is designed to distribute weight effectively for medium weights such as light trucks, forklifts, stages, and other equipment. For heavier applications over natural grass, such as semi-tractor trailers, larger shoot booms, and other equipment, HexaDeck is used in combination with a lightweight geotextile fabric to provide access and extraordinary ground protection. This simple inexpensive geotextile is placed underneath the HexaDeck to aid in weight distribution and to prevent "cookie cutting" under such tremendous weights.



## **SUPERCOVER FIELD TARPS**



Keep your valuable field game-ready with the SuperCover™ line of field tarps.

SuperCover field tarps are specially designed to protect natural turf from pedestrian traffic during non-sporting events (such as concerts and commencements) and harsh weather (rain, snow, wind and ice). Event Flooring's waterproof tarps come in a variety of sizes or can be custom cut to your specifications. Customize with your team logo and colours for a more dramatic look.

SuperCover field covers are designed for long-lasting durable protection:

- Rip-resistant fabric - polyethylene and PVC fabric is difficult to tear and the special formulation prevents small rips and tears from expanding.
- Extra-strong seams - seams are heat-welded for durability and complete waterproof protection.
- Rot and mildew resistant
- Long-lasting brass grommets resist rust and damage.
- Handles cold temperatures - special formulation keeps tarps supple through the coldest winters.
- Handles hot temperatures - special silver poly coating keeps ground cool - preventing turf burnout.
- Durable hems - extra wide hems are 4 cm and are made up of 3 layers of fabric to withstand wear-and-tear.
- Maximum UV-protection

**Ask us about turf protection blankets and other protective geotextile covers**



## OUR RENTAL DIVISION

Event Flooring both rents and sells its stadium flooring system and has large quantities of its various flooring systems available for rentals throughout South Africa and Africa.

### *LOGISTIC EXPERTS*

Event Flooring is expert at the logistics of special event flooring rentals. Our company stores its rental stock at strategic locations throughout South Africa – allowing for rapid deployment of resources. We specialize in complex logistical projects and have the manpower and resources necessary for multi-location concert tours, simultaneous events, and short-notice emergency requirements.

### *UNPARALLELED EXPERIENCE*

Our company has provided rental flooring for events as diverse as festivals, concerts, corporate events and other on-field functions. We have provided flooring for hundreds of events nationwide and understand the unique needs of each venue, grass type and event timing.

We can install flooring at any time of the day or night and will accommodate your specific project needs. Whether we need to move in before or after other resources or need to work side-by-side with staging crews, tent companies, sound and lighting crews or chair suppliers, we are flexible and determined to meet each customers unique requirements.

Our trained personnel take everything into consideration when planning for your event. From truck access points, to event schedules and from your specific grass type to the projected weather conditions, our team will make sure the flooring at your event is a success.

Trust your event, and your field, to the experts at Event Flooring, the leading expert in natural and synthetic grass protection and other portable flooring solutions including dance floors.

Visit [www.eventflooring.co.za](http://www.eventflooring.co.za)  
for more information





## EVENT FLOORING'S LINE OF SUPERIOR TURF PROTECTION PROD-



### EventDeck®

General Purpose Turf Protection

2 versions:

ED1 - For natural turf - aeration holes  
ED2 - For synthetic turf - closed top

Tile size: 39,5 cm x 10,2 cm x 1,9 cm  
Supports: 39,059 kgs/m<sup>2</sup>

Suitable for guest areas, chairs and light equipment.

Does not require tools - snap connection system.

Options:

Expansion joint modules to control expansion issues outdoors

Transition edging



### UltraDeck™

Medium-Duty Turf Protection

2 versions:

EDU1 - For natural turf - aeration holes  
EDU2 - For synthetic turf - closed top

Tile size: 61 cm x 30,5 cm x 2,9 cm  
Supports: 97,600 kgs/m<sup>2</sup>

Suitable for guest areas, chairs, equipment and staging areas.

Does not require tools - snap connection system.

Options:

Expansion joint modules to control expansion issues outdoors

Transition edging



### ArmorDeck™

Heavy-Duty Turf Protection and Portable Roadway

3 versions:

TD1 - Natural turf with aeration holes  
TD2 - Synthetic turf with closed top  
TD3 - With additional underside panel

Module size:

TD1/TD2: 1,067 m x 1,067 m x 5,08 cm  
TD3: 1,067 m x 1,067 m x 6,35 cm

Supports:

TD1/TD2: 122,000 kgs/m<sup>2</sup>  
TD3: 219,600 kgs/m<sup>2</sup>

Suitable for guest areas, chairs, equipment, staging, trailers, vehicles and trucks.

Integrated self-aligning hook-and-loop connection system. Secondary cam-lock system adds ballast.

Options: Transition edging



### DuraDeck®

Super Heavy-Duty Turf Protection and Portable Roadway

2 versions:

DD1 - For portable roadways  
DD2 - For portable roadways and pedestrians

Mat size: Standard size is 2,44m x 1,22m x 1,2cm  
Other sizes are available.

Supports: 390,400 kgs/m<sup>2</sup>

Does not require tools - metal linking system.

Suitable for temporary roadways or platforms. Especially for trucks, cranes and other heavy equipment.

Options: Metal and plastic links.



### HexaDeck®

Heavy-Duty Turf Protection

Suitable for natural and synthetic turf

Tile size: Hexagonal shape is 0,91 m<sup>2</sup>  
Supports: 146,400 kgs/m<sup>2</sup>

Suitable for equipment, staging trailers and vehicles.

Does not require tools - overlay/underlay connection.

Adapts well to uneven ground surfaces.



### SuperCover™

General Protection Field Tarps

Suitable for natural and synthetic turf

Specially-designed tarps protect grass from harsh weather and pedestrian traffic

Long lasting, rip-resistant, UV-protected fabric

Prevents turf from high heat and harsh weather.



Signature Fencing & Flooring Systems, LLC  
50 East 42nd Street, 14th Floor  
New York, NY 10017

**TRUST YOUR FIELD TO  
THE WORLD'S LARGEST MANUFACTURER OF  
NATURAL & SYNTHETIC TURF PROTECTION SYSTEMS**



TOLL FREE: (800) 709-8835  
Mon-Fri: 9am-6pm Eastern

DIRECT: (212) 953-1116  
Mon-Fri: 9am-6pm Eastern

FAX: (212) 953-1117





**EventDeck**



EMAIL:  
[sales@stadiumflooring.com](mailto:sales@stadiumflooring.com)  
[rentals@stadiumflooring.com](mailto:rentals@stadiumflooring.com)

WEBSITE:  
[www.StadiumFlooring.com](http://www.StadiumFlooring.com)



**SIGNATURE FENCING &  
FLOORING SYSTEMS, LLC**

50 East 42nd Street  
14th Floor  
New York, NY 10017